


CORRES. CONTROL
INCOMING LTR NO.

00798 RF 97

DUE DATE

ACTION



Department of Energy

ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

DEC 1998

97-DOE-05063

DIST.	LTR	ENC
-------	-----	-----

BACON, R.F.		
BENSUSSEN, S.J.		
BRILSFORD, M.D.		
BUHL, T.R.		
BURDGE, L.		
CARD, R.G.		
COSGROVE, M.M.		
COULTER, W.L.		
CRAWFORD, A.C.		
DERBY, S.		
DIETERLE, S.E.		
FERRERA, D.W.		
GERMAIN, A.L.		
HARDING, W.A.		
HARROUN, W.P.		
HEDAH, T.G.		
HERRING, C.L.		
HILL, J.A.		
MARTINEZ, L.A.		
NORTH, K.	X	
OGG, R.N.		
PARKER, A.		
PHILLIPS, F.J.	X	
RHOADES, D.W.		
RUSCITTO, D.G.		
SANDLIN, N.B.		
SPEARS, M.S.		
TILLER, R. E.		
TUOR, N.R.		
VOORHEIS, G.M.		

Mr. Tim Rehder
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager
999 18th Street, Suite 500, 8WM-C
Denver, CO 80202-2405

Ms. Susan Chaki
Hazardous Materials and Waste Management Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, CO 80222-1530

Dear Ms. Chaki and Mr. Rehder:

With this correspondence, the U.S. Department of Energy/Rocky Flats Field Office is transmitting to your organizations the "Plan for Evaluating Water Treatment Activities at OU 7." The objective of the plan is to establish a sampling methodology of landfill seep water in order to evaluate the potential shutdown of the system and/or changes in treatment practices.

Enclosed please find the Costs for OU7 Fiscal Year '97.

Please provide your concurrence that this plan is a reasonable approach towards the evaluation of water treatment activities at Operable Unit 7, or any comments on the plan at your earliest convenience. If necessary, we can schedule a meeting for next week or the following week to clarify any questions and determine a starting date for the sampling.

Please contact me at 966-3424; John Rampe at 966-6246; or Norma I. Castaneda at 966-4226 if you should have any questions regarding the transmittal of this plan.

Sincerely,

Gail S. Hill

Gail S. Hill, Acting Group Lead
Regulatory Liaison Group

Enclosure

Reviewed for Addressee
Corres. Control RFP

6/2/97
Date By

Ref Ltr. #

DOE ORDER #

5400.1

ADMIN RECORD

A-OU07-000470



CORRES. CONTROL
INCOMING LTR NO.

00798 RF 97

DUE DATE
ACTION



Department of Energy

ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

MAY 20 1997

cc *Ross Cirillo*
John Schmuck
How is this proceeding?
Have they scheduled
a meeting yet?
Ann

97-DOE-05063

DIST.	LTR	ENC
BACON, R.F.		
BENSUSSEN, S.J.		
BRAILS FORD, M.D.		
BUHL, T.R.		
BURDGE, L.		
CARD, R.G.		
COSGROVE, M.M.		
COULTER, W.L.		
CRAWFORD, A.C.		
DERBY, S.		
DIETERLE, S.E.		
FERRERA, D.W.		
GERMAIN, A.L.		
HARDING, W.A.		
HARROUN, W.P.		
HEDAH, T.G.		
HERRING, C.L.		
HILL, J.A.		
MARTINEZ, L.A.		
NORTH, K.	X	
OGG, R.N.		
PARKER, A.		
PHILLIPS, F.J.	X	
RHOADES, D.W.		
RUSCITTO, D.G.		
SANDLIN, N.B.		
SPEARS, M.S.		
TILLER, R.E.		
TUOR, N.R.		
VOORHEIS, G.M.		

Dieterle, S.E. X
Lyson, R. X
Thompson, J. X

COR. CONTROL	X	X
ADMN. RECORD		
PATS/T130G		

Reviewed for Addressee
Corres. Control RFP
6/2/97 *[Signature]*
Date By

Ref Ltr. #
DOE ORDER # *5400.1*

Mr. Tim Rehder
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager
999 18th Street, Suite 500, 8WM-C
Denver, CO 80202-2405

Ms. Susan Chaki
Hazardous Materials and Waste Management Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, CO 80222-1530

Dear Ms. Chaki and Mr. Rehder:

With this correspondence, the U.S. Department of Energy/Rocky Flats Field Office is transmitting to your organizations the "Plan for Evaluating Water Treatment Activities at OU 7." The objective of the plan is to establish a sampling methodology of landfill seep water in order to evaluate the potential shutdown of the system and/or changes in treatment practices.

Enclosed please find the Costs for OU7 Fiscal Year '97.

Please provide your concurrence that this plan is a reasonable approach towards the evaluation of water treatment activities at Operable Unit 7, or any comments on the plan at your earliest convenience. If necessary, we can schedule a meeting for next week or the following week to clarify any questions and determine a starting date for the sampling.

Please contact me at 966-3424; John Rampe at 966-6246; or Norma I. Castaneda at 966-4226 if you should have any questions regarding the transmittal of this plan.

Sincerely,

Gail S. Hill

Gail S. Hill, Acting Group Lead
Regulatory Liaison Group

Enclosure



ADMIN RECORD